# 2W Wireless Manpack COFDM HDMI & CVBS Video Transmitter with AES256 **Encryption**

# Basic Information

• Place of Origin: Guangdong, China • Brand Name: ZKMANET • Certification: CE, ISO9001 • Model Number: ZKManet1242T

• Minimum Order Quantity: 1 piece

• Price: USD 3499~5999 per piece

 Packaging Details: carton Delivery Time: 3-7 work days

• Payment Terms: T/T, Western Union, MoneyGram

• Supply Ability: 10000 pieces per year



# **Product Specification**

Modulation: COFDM

Modulation Type: QPSK(4QAM), 16QAM, 64QAM

300MHz-2700MHz • Working Frequency:

• Transmission Power: 2W RF Bandwidth: 2-8MHz . Delay: 60ms

Guard Interval: 1/4, 1/8, 1/16, 1/32

AES256 (User-defined Password) • Encryption:



## More Images





# **Product Description**

2W Wireless Manpack COFDM HDMI & CVBS Video Transmitter with AES256 Encryption

**Product Description** 

ZKManet1242T is a compact and portable backpack transmitter developed by our company with high definition and stable

Our Product Introduction

image quality. Adopting COFDM modulation technology, it can realize shooting and real-time transmission of high-quality images in non-line-of-sight (non-visual), high-speed mobile, encrypting images and data during transmission, and it can be used with receiver ZKManet1002R, which is especially suitable for use in complex environments and places where there are relatively many obstructions, and can be used for public security, armed police and other major activities such as on-site security, emergency response rescue and other activities.

#### Features

- \* Supports HDMI and CVBS dual video input
- \* Rugged aluminum alloy housing
- \* Range up to 1.5-3km
- \* Up to 5 hours battery life
- \* Strong anti-interference ability
- \* Manpack design for easy operation
- \* COFDM modulation and H.264 compression

#### Specifications

Model	ZKManet1242T	
RF Parameters	Frequency	Video: 300MHz-2.7GHz customizable;
	Modulation	QPSK(4QAM)/16QAM/64QAM
	Output Power	2W
	Bandwidth	2-8MHz
	Encryption	AES
	Range	1.5-3km
	RF Interface	N-F
Video Parameters	Video Input	HD:HDMI
		SD:RCA
	Video Modulation	HD:1080P,1080i,720P,720i
		SD:P/N
	Video Compression	H.264
Physical/Environme nt	Dimensions	220*120*45(mm)
	Weight	1.3kg(w/ battery)
	Working Temp	-20°C~ +65°C
Electrical Parameters	Power Supply	DC 12V
	Battery Capacity	4500mAh
	Power Consumption	<43dBm

### Dimensions

#### Panel description

- 1.Antenna interface\_ N type Female
- 2.LED control panel
- 3. Power push button
- 4.CVBS video input
- 5. Audio left channel input
- 6 Audio right channel input
- 7.HDMI video input
- 8. Power input DC 12V
- 9.Battery indicator

## Application

Light Weight and Portable Backpack Transmitter for Easy Communication

#### Company Profile

Zhongke Lianxun (Shenzhen) Co., Ltd was established in 2005. The company focuses on the research and development of products for drone defense/control, wireless video transmission, and network security encryption/decryption. It leverages the technical expertise of renowned university network security institutes. The company specializes in providing data encryption and decryption solutions as well as drone defense solutions for industries such as wind power, national power, oil and gas, first fishing a public accounts. The company programment representation and power, and company programment representations.

firefighting public security, road and bridge construction, and emergency management agencies.
Light Weight and Portable Backpack Transmitter fol. igas Weight

Light Weight and Portable Backpack Transmitter for Easy Com

#### Our Patents

Light Weight and Portable Backpack Transmitter for Easy Communication

#### **R&D** Equipments

Light Weight and Portable Backpack Transmitter for Easy Communication Light Weight and Portable Backpack Transmitter for Easy Communication

#### FAG

Light Weight and Portable Backpack Transmitter for Easy Communication Light Weight and Portable Backpack Transmitter for Easy Communication

# ZKANNET Zhongke Lianxun (Shenzhen) Technology Co., Ltd

203-B161, Block B, Garden City Digital Building, No.1079 Nanhai Avenue, Yanshan Community, Merchants Street, Nanshan District, Shenzhen, China