1U 300MHz~2700MHz Customizable 40-Long Distance Wireless Vehicle-**Mounted Video Transmitter**

Basic Inforr	nation

- Place of Origin:
- Brand Name:
- Certification:
- CE, ISO9001 Model Number: ZKManet1002R
- Minimum Order Quantity: 1 piece
- Price:
- Packaging Details:
- Delivery Time: 3-7 work days
 - T/T, Western Union, MoneyGram

carton

• Payment Terms: • Supply Ability: 10000 pieces per year

Guangdong, China

USD 1099 1299 per piece

ZKMANET





Product Specification

• Working Frequency: Microwave:Support 300MHz-2.7GHz Customizable Constellation Mode: QPSK(4QAM),16QAM,64QAM(Factory Default QPSK) 2-8MHz Adjustable • Working Bandwidth: Receiver Sensitivity: -106dBm AES • Encryption: • Transmission Distance: 10-40km • Dimension: 1U • Weight: 3Ka • Working Temperature: -20ºC~+65ºC

ZUMANET





Product Description

Product Description

The ZKManet1002R features a standard 1U rack-mounted design, making it easy to place in vehicle or ship cabinets. It can receive one channel of image and optionally includes voice intercom functionality. This receiver is part of a broadcast-grade high-definition real-time image transmission system with long transmission distance, powerful functionality, and stable

Our σ performance. Utilizing COFDM modulation technology, the system encrypts images and data during transmission, exhibiting high reception sensitivity. It can transmit real-time stable audio and video even in high-speed motion and urban building obstruction scenarios. This receiver is suitable for use in public security, armed police, maritime security, and other major events for on-site security, emergency rescue operations, and maritime law enforcement.

Features

- * Range up to 10km NLOS and 40km LOS
- * 1U rack mount design * COFDM modulation and H.264 decoding
- * Dual-antenna diversity reception
- * Supports two-way voice intercom
- * High receiving sensitivity

Specifications

Model	ZKManet1002R	Brand	ZKMANET
RF Parameters	Frequency	300MHz-2.7GHz customizable	
	Modulation	QPSK(4QAM),16QAM,64QAM	
	Bandwidth	2-8MHz	
	Receiving Sensitivity	-106dBm	
	Encryption	AES	
	Range	10-40km	
	RF Interface	N-F	
Video Parameters	Video Output	HD:HDMI	
		SD:BNC	
	Video Modulation	HD:1080P@60	
		SD:720*480	
	Video Compression	H.264/H.265	
	Memory	TF Card (128G Max); File system:FAT32	
Physical/Environmen t	Dimensions	1U	
	Weight	ЗКg	
	Working Temp	-20ºC~+65ºC	
Electrical Parameters	Power Supply	DC 12V/AC 220V	
	Power Consumption	<43dBm	

Detailed Photos

1u Rack Mount High Sensitivity Cofdm Video Receiver

Application

1u Rack Mount High Sensitivity Cofdm Video Receiver

Company Profile

Zhongke Lianxun (Shenzhen) Technology Co., Ltd is a high-tech R&D enterprise. Our products mainly use Mesh and LTE as core technologies and auxiliary decision-making software to form underground building emergency communication systems, and police investigation communication systems, and police non combat training communication systems, urban emergency communication systems, emergency communication vehicle communication systems, etc., suitable for law enforcement forces and government departments such as public security, armed police, , forest fire prevention, civil air defense, and maritime. Especially the intelligent communication products of special robots have solved the long-distance communication and control problems of robots in complex environments.

We have multiple patents with independent intellectual property rights, has established a sound quality system and national standard system that comply with ISO9001 standards, and strictly produces products in accordance with national standards and internationally recognized standards such as CCC, CE, FCC, etc. It has obtained the Radio Transmission Equipment Model Approval Certificate issued by the Ministry of Industry and Information Technology of China and has passed the wireless product testing certification of the Ministry of Public Security.

1u Rack Mount High Sensitivity Cofdm Video ReceimeRack Mount High Sensitivity Cofdm Video ReceimeRack Mount High Sensitivity Cofdi

1u Rack Mount High Sensitivity Cofdm Video Receiver	
1u Rack Mount High Sensitivity Cofdm Video Receiver	1u Rack Mount High Sensitivity Cofdm Video Receiver
FAQ	
1u Rack Mount High Sensitivity Cofdm Video Receiver	1u Rack Mount High Sensitivity Cofdm Video Receiver

ZIMINET Zhongke Lianxun (Shenzhen) Technology Co., Ltd

Zkmanet.com

203-B161, Block B, Garden City Digital Building, No.1079 Nanhai Avenue, Yanshan Community, Merchants Street, Nanshan District, Shenzhen, China