2W 30Mbps 5MHz/10MHz/20MHz Bandwidth Long Range 49km Transmission For Uav Drone Ground Station Tracker

for more products please visit us on zkmanet.com

Basic Information

 Place of Origin: 	Shenzhen, China
• Brand Name:	ZKMANET
Certification:	CE, ISO9001
 Model Number: 	ZKManet2441
Minimum Order Quantity:	1
Price:	USD 1699~USD2299
 Packaging Details: 	Brown Carton
 Delivery Time: 	5~8 working days
 Payment Terms: 	T/T, Western Union
 Supply Ability: 	10000 pieces per year



Product Specification

- Frequency:
- Bandwidth:
- RF Channel:
- Output Power:
- Range:
- Motor Torque:
- Rotation Angle:
- Angle Accuracy:

800MHz/1.4GHz/2.4GHz(Customizable)
5MHz/10MHz/20MHz
1T2R
2W
49km(LOS)
30N*m
360°horizontally, 90°vertically
±2°



More Images



Product Description

2W 30Mbps 5MHz/10MHz/20MHz Bandwidth Long Range 49km Transmission For Uav Drone Ground Station Tracker

Product Description

The ZKManet2441 is a ground terminal designed for long distances video data communication. It has built-in GPS tracking module and wireless communication module. The airborne GPS module feeds GPS/BD coordinate information to the wireless communication module through serial port for transparent transmission. The ground terminal calculates the pointing angle based on its own latitude and longitude and that of the airborne module. This ensures your ground panel antenna is always aligned with your airborne module, maintaining the best possible wireless reception and significantly increasing the range. It adopts 1T2R dual-antenna transmission, with a high-gain directional antenna for sending and receiving, and an omnidirectional antenna for receiving, which can transmit signals more effectively.

Features

- * 2W power output for up to 49km range
- * Automatic calibration algorithm at startup
- * With main and sub (LoRa) dual links to ensure timely refreshing of GPS data
- * Using 1T2R dual-antenna for more reliable transmission
- * 360-degree twist-free slip ring

Specifications

Model	ZKManet2441	Brand	ZKMANET	
RF Parameters	Frequency	800MHz/1.4GHz	800MHz/1.4GHz/2.4GHz	
	Bandwidth	5MHz/10MHz/20	5MHz/10MHz/20MHz	
	RF Channel	1T2R	1T2R	
	Output Power	2W		
	Range	49km(LOS)	49km(LOS)	
PTZ Parameters	Motor Torque	30N*m	30N*m	
	Rotation Angle	360°horizontally	360°horizontally, 90°vertically+	
	Angle Accuracy	±2°	±2°	
	Maximum Motor Speed	0.21s/60°	0.21s/60°	
Interface Parameters	RF Interface	N*1,SMA*2	N*1,SMA*2	
	LAN Interface	Waterproof avia	Waterproof aviation connector	
	Power Interface	Waterproof DC	Waterproof DC connector	
Network Parameters	Data Rate	30Mbps(Max)	30Mbps(Max)	
	Encryption	ZAES128	ZAES128	
Physical/Environment	Dimensions	306*396*416mn	306*396*416mm	
	Weight	4.2kg (w/ batter	4.2kg (w/ battery & antenna)	
	IP Rating	IP65	IP65	
	Working Temp	-40ºC~+60ºC	-40ºC~+60ºC	
Electrical Parameters	Power Supply	DC12V	DC12V	
	Power Consumption	<high power<="" td=""><td colspan="2"><high power<="" td=""></high></td></high>	<high power<="" td=""></high>	

Dimensions

800MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenne00MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenne000MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenne0000MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenne000MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenne000MHz/1.4GHz/2.4GHz/2.4GHz Uav Drone Ground Terminal Auto Termi

Panel Description

800MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenna00MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenna00MHz/1.4GHz/2.4GHz/2.4GHz Uav Drone Ground Terminal Auto Terminal Auto

- 1. GPS Antenna
- 2. Directional panel antenna interface, SAM F
- 3. LoRa link antenna interface, SMA F
- 4. Power button
- 5. OLED screen (1.3") and configuration buttons (up, down and menu)
- 6. Battery indicator
- 7. Omnidirectional antenna interface, SAM F
- 8. LAN & Serial port 9 pin aviation connector (4 pins for LAN, 3 pins for TTL and 2 pins not used)
- 9. DC power input interface, waterproof

Application

800MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenna

Company Profile

Zhongke Lianxun (Shenzhen) Technology Co., Ltd is a high-tech R&D enterprise. Our products mainly use Mesh and LTE as core technologies and auxiliary decision-making software to form underground building emergency communication systems, and police investigation communication systems, and police noncombat training communication systems, urban emergency communication systems, emergency communication vehicle communication systems, etc. The products are widely used in law enforcement agencies and government departments such as public security, armed police, , forest fire prevention, civil air defense, and maritime affairs.

We hold numerous patents with independent intellectual property rights and have developed a robust quality management system that adheres to ISO9001 standards, as well as national standards. Our production processes strictly follow these national guidelines and internationally recognized standards, including CCC, CE, and FCC. Additionally, we have received the Radio Transmission Equipment Model Approval Certificate from the Ministry of Industry and Information Technology of China and have successfully completed wireless product testing certification from the Ministry of Public Security. Adhering to the principles of "unity and dedication, technological innovation, and service innovation," we serve users both

Addressing to the principles of "unity and dedication, technological innovation, and service innovation," we serve users both domestically and internationally. We uphold the tenet of "quality first, reputation first" to provide high-quality, efficient, and customized services to our clients worldwide. The company is committed to promoting an innovative spirit of "exploration and processes"

progress." 800MHz/1.4GHz/2.4GHz Uav Drone Ground Termi880MHz/Tr46Hzg2A408Hzg2A

800MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenna 800MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenna00MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tra

FAQ

800MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tracking Antenna00MHz/1.4GHz/2.4GHz Uav Drone Ground Terminal Auto Tra

ZIMINET Zhongke Lianxun (Shenzhen) Technology Co., Ltd

🕓 +86 13266718951 🔄 Info@chinamanet.com 🙆 zkmanet.com

203-B161, Block B, Garden City Digital Building, No.1079 Nanhai Avenue, Yanshan Community, Merchants Street, Nanshan District, Shenzhen, China