

2W 5.8GHz 2T2R Long Range 10-20km Outdoor IP Mesh Base Station Transceiver

Basic Information

• Place of Origin: Shenzhen, China

Brand Name: ZKMNET
 Certification: CE,ISO9001
 Model Number: ZKManet2532UM

Minimum Order Quantity:

Price: USD 999~9999
 Packaging Details: Brown Carton
 Delivery Time: 5-8 working days
 Payment Terms: T/T, Western Union
 Supply Ability: 10000 pieces per year



Product Specification

Frequency: 5.8GHzBandwidth: 20/40/80MHzRF Channel: 2T2R

Output Power: 2WNetwork Capacity: 64Date Rate: 90Mbps

Range: 10-20km(LOS)Dimensions: 286*216*122mm



More Images





Product Description

2W 5.8GHz 2T2R Long Range 10-20km Outdoor IP Mesh Base Station Transceiver

Product Description

ZKManet2532UM is a MESH networking product with high performance and high stability. It realizes different types of wireless coverage networking such as point-to-multipoint or point-to-point and MESH AD hoc networking by matching directional, all-directional, sector and other antenna types. It adopts anti-surge/static, anti-salt spray corrosion, EMC electromagnetic shielding. Advanced industrial design concept, can meet all kinds of complex electromagnetic environment and bad weather uninterrupted work.

Features

- * Support RJ45 network; 5.8GHz as Frequency
- * Bandwidth up to 90Mbps
- * Rugged:IP67
- * Range:10-20km (LOS)

Quick Deployment

Mesh self-organizing network technology enables rapid mobile deployment, allowing for the establishment of a reliable wireless communication network in a short period of time to meet the timeliness requirements of emergency communications.

Strong Stability

Mesh self-organizing network technology features self-healing capabilities, ensuring that even if some devices fail, the entire network can continue to operate stably, preventing communication interruptions.

High Security

Advanced encryption algorithms and security authentication mechanisms are employed to effectively safeguard the security and confidentiality of communication data, preventing information leakage and malicious attacks.

Specifications

| Model | ZKManet2532UM | | |
|-------------------------|-------------------|---------------|--|
| RF parameters | Frequency | 5.8GHz | |
| | Bandwidth | 20/40/80MHz | |
| | RF Channel | 2T2R | |
| | Output Power | 2W | |
| Network parameters | Network capacity | 64 | |
| | Date Rate | 90Mbps | |
| | Encryption | AES | |
| | Range | 10-20km(LOS) | |
| Physics/Environme nt | Dimensions | 286*216*122mm | |
| | Weight | 3.2kg | |
| | Working Temp | -40ºC ~ +65ºC | |
| | IP Rating | IP67 | |
| Electrical parameters | Power supply | 12V | |
| | Power Consumption | ≤12W | |

Panel Description

- 1. MESH Antenna Interface 1
- 2. GPS Antenna Interface
- 3. MESH Antenna Interface 2
- 4. MESH Signal Indicator

| | Indicator Status | Signal Strength | |
|--|------------------|---------------------|--|
| | Red flickers | No device connected | |
| | Red still | Weak signal | |
| 2W 5.8GHz IP67 Long Range 10-20km Outdoor IP Mesh Base S | Orange still | Medium signal | |
| 2W 3.5GHZ II 67 Long Hange 10-20kiii Outdoor II Wesii Base C | Green still | Strong signal | |

| SNR | Indicator Color | Topology Color | Topology Value |
|------------|-------------------------|--|---|
| 0 | Red flicker | Red | 0 |
| <-90 | Red still | Red | <-90 |
| -75 to -90 | Orange still | Orange | -75 to -90 |
| >-75 | Green still | Green | >-75 |
| | 0 <-90 -75 to -90 | 0 Red flicker <-90 Red still -75 to -90 Orange still | 0 Red flicker Red <-90 Red still Red -75 to -90 Orange still Orange |

- 5. RJ45 LAN Port (Waterproof)
- 6. Power Input Port (3 PIN)

Company Profile

Zhongke Lianxun (Shenzhen) Co., Ltd was established in 2005. The company focuses on the research and development of products for drone defense/control, wireless video transmission, and network security encryption/decryption. It leverages the technical expertise of renowned university network security institutes. The company specializes in providing data encryption and decryption solutions as well as drone defense solutions for industries such as wind power, national power, oil and gas, firefighting, public security, road and bridge construction, and emergency management agencies.

2W 5.8GHz IP67 Long Range 10-20km Outd@W 15-8004stb IB65eLStagi6harii@an\$0e20km Outd@W 15-8004stb IB65eLStagi6hari

2W 5.8GHz IP67 Long Range 10-20km Outdoor IP Mesh Base Station Transceiver

2W 5.8GHz IP67 Long Range 10-20km Outdoor IP Mesh Base Stat2W 5r86sterilæ67 Long Range 10-20km Outdoor IP Mesh Base

FAQ

2W 5.8GHz IP67 Long Range 10-20km Outdoor IP Mesh Base Stat2W 5r86sterilæ67 Long Range 10-20km Outdoor IP Mesh Base

ZKMINET Zhongke Lianxun (Shenzhen) Technology Co., Ltd

+86 13266718951

Info@chinamanet.com



Zkmanet.com

203-B161, Block B, Garden City Digital Building, No.1079 Nanhai Avenue, Yanshan Community, Merchants Street, Nanshan District, Shenzhen, China