

## 2~8Mhz Bandwidth AES256 10.1 Inches HD Screen Handheld Video Data Receiver

Our Product Introduction

for more products please visit us on [zkmanet.com](http://zkmanet.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: ZKMANET
- Certification: CE, ISO9001
- Model Number: ZKManet1102R
- Minimum Order Quantity: 1
- Price: USD 999~1699
- Packaging Details: Brown Carton
- Delivery Time: 5~8 working days
- Payment Terms: T/T, Western Union
- Supply Ability: 10000 pieces per year



### Product Specification

- Bandwidth: 2-8MHz
- Modulation: QPSK(4QAM), 16QAM, 64QAM
- Receiving Sensitivity: -106dBm
- Range: 1-3km
- RF Interface: N-F
- Screen: 10.1 Inches HD
- Video Compression: H.264
- Weight: 1.5kg



### More Images



### Product Description

#### Product Description

Product Description

The ZKManet1102R is a portable receiver specifically for use as a temporary command center during daily police and armed

Our Pro

police operations. It comes with a built-in display screen, is easy to carry, and simple to operate. Utilizing COFDM modulation technology, the ZKManet1102R encrypts images and data during transmission. It can be paired with the ZKManet1131T transmitter to transmit real-time stable audio and video even in high-speed movement and urban environments with obstacles. Compact in size, it is suitable for providing decision-making support for on-site commanders.

### Features

- \* Compact size and light weight
- \* Portable design for easy operation
- \* 10.1 inch high brightness HD display
- \* Receiving signal under high-speed and NLOS conditions
- \* With AV output for connecting to external large display
- \* AES256 encryption
- \* Built-in battery up to 4 hours endurance

### Specifications

Model	ZKManet1102R	Brand	Z K M A N E T
RF Parameters	Frequency	300MHz-2.7GHz Customizable	
	Modulation	QPSK(4QAM),16QAM,64QAM	
	Bandwidth	2-8MHz	
	Receiving Sensitivity	-106dBm	
	Encryption	AES	
	Range	1-3km	
	RF Interface	N-F	
Video Parameters	Screen	10.1 inches HD	
	Video Output	HD:HDMI	
		SD:RCA-F	
	Video Modulation	HD:1080P@60 SD:720*480	
	Video Compression	H.264	
Physical/Environment	Dimensions	300*200*30mm	
	Weight	1.5kg	
	Working Temp	-10°C~+65°C	
Electronic Parameters	Power Supply	DC 12V	
	Battery Capacity	4000mAh	
	Power Consumption	<40dBm	

### Detailed Photos



1. Battery indicator bar
2. VGA output,reserved
3. AV output(CVBS)
4. USB 2.0, for video recording
5. Power and setting buttons
6. Power input, DC 12V
7. Antenna interface, N type female
8. RF setting buttons
9. Antenna interface, N type female

Cofdm 300MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Receiver

### Application

Cofdm 300MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Receiver

### Company Profile

Zhongke Lianxun (Shenzhen) Technology Co., Ltd is a high-tech R&D enterprise. Our products mainly use Mesh and LTE as core technologies and auxiliary decision-making software to form underground building emergency communication systems, and police investigation communication systems, and police non combat training communication systems, urban emergency communication systems, emergency communication vehicle communication systems, etc., suitable for law enforcement forces and government departments such as public security, armed police, , forest fire prevention, civil air defense, and maritime. Especially the intelligent communication products of special robots have solved the long-distance communication and control problems of robots in complex environments.

We have multiple patents with independent intellectual property rights, has established a sound quality system and national standard system that comply with ISO9001 standards, and strictly produces products in accordance with national standards and internationally recognized standards such as CCC, CE, FCC, etc. It has obtained the Radio Transmission Equipment Model Approval Certificate issued by the Ministry of Industry and Information Technology of China and has passed the

wireless product testing certification of the Ministry of Public Security.

Cofdm 300MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Receiver

Cofdm 300MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Receiver

Cofdm 300MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Receiver

FAQ

Cofdm 300MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Receiver

**ZIMANET Zhongke Lianxun (Shenzhen) Technology Co., Ltd**

+86 13266718951    info@chinamanet.com    zkmanet.com

203-B161, Block B, Garden City Digital Building, No.1079 Nanhai Avenue, Yanshan Community, Merchants Street, Nanshan District, Shenzhen, China