

4W 4-Channel 1.5km Video Data Transmitter With AES Encryption For Loader Excavator UGV Robot

Our Product Introduction

for more products please visit us on zkmanet.com

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: ZKMANET
- Certification: CE, ISO9001
- Model Number: ZKManet2452UM
- Minimum Order Quantity: 1
- Price: USD 1999~2999
- Packaging Details: Brown Carton
- Delivery Time: 5~8 working days
- Payment Terms: T/T, Western Union
- Supply Ability: 10000 pieces per year




Product Specification

- Frequency: 1400MHz-1480MHz (Customizable)
- RF Bandwidth: 5m/10m/20MHz/40MHz
- RF Channel: 2T2R
- Transmission Power: 4W
- Range: 1.5km
- Max Throughput: 82Mbps(Max)
- Encryption: AES
- Channel: 4-Channel
- Highlight: 1.5km Video Data Transmitter, AES Encryption Video Data Transmitter, Excavator Video Data Transmitter




More Images






Product Description

4W 4-Channel 1.5km Video Data Transmitter with AES Encryption for Loader Excavator UGV Robot

Product Description

The ZKManet2452UM is a 4W UGV/Robot video data transmitter with powerful functions and stable performance using the

Our Product

leading MANET technology. It can form up an intelligent communication system with a remote control station, the video and data are encrypted during transmission. In application, it transmits on-site video and information (such as oxygen concentration and vehicle status, etc.) back to the control station.

Features

- * High bandwidth up to 82Mbps
- * With built-in 4-channel DVR
- * Supports CVBS/AHD/CVI video input
- * Full IP duplex transparent data transmission
- * Up to 1.5km ground-to-ground transmission range
- * Supports Web and PC software configuration
- * Rugged aviation aluminum alloy housing

Specifications

Transmission Characteristics

Default Frequencies	1400MHz-1480MHz (Or customize)
Channel Bandwidth	5M/10M/20MHz/40MHz
RF Channel	2T2R
Output Power	36dBm (2x2W MIMO)
Modulation Type	DSSS/CCK BPSK/QPSK OFDM BPSK/QPSK/16-QAM/64-QAM
Data Rate	Up to 82Mbps
Network Capability	9 hops and no less than 64 nodes
Encryption	AES

Interfaces

RF	N*2, SMA*1
Video Input	IP/CVBS/AHD/CVI*4
LAN	RJ45*1, 4-PIN Aviation LINE*1
Data	DATA1, DATA2, DATA3, IO1, IO2
Intercom	5-PIN Aviation Connector
Power	3-PIN Aviation Connector

Electrical Characteristics

Working Voltage	DC 12V
Power Consumption	<High Power Average

Physical Characteristics

Weight	2.4kg
Dimensions	300*185*69mm
Storage Temp.	-45°C~85°C
Working Temp.	-20°C~70°C
Working Humidity	5%RH-95%RH (Non-Condensing)

Dimensions

4W 4-Channel Mesh Radio Video Data Transmitter for 1.5km Ugv Robot Application

Panel Description

	<ol style="list-style-type: none"> 1. LAN interface, RJ45 2. Power input interface, 3-PIN aviation connector 3. S/R signal indicator 4. DATA1 - RS232 or RS485 5. DATA2 - PTZ control interface 6. DATA3 - CAN and sensor data interface 7. LAN interface, LINE 8. Audio 9. IO1 10. IO2 11. USB, for storage 12. CH1 - IPC or AHD camera input 13. CH2 - IPC or AHD camera input 14. CH3 - IPC or AHD camera input 15. CH4 - IPC or AHD camera input
--	---

1. MESH antenna interface-1, N F
2. Reserved antenna interface for GPS/WIFI/4G-LTE, SMA F
3. MESH antenna interface-2, N F

4W 4-Channel Mesh Radio Video Data Transmitter for 1.5km L

Company Profile

Zhongke Lianxun (Shenzhen) Technology Co., Ltd is a high-tech R&D enterprise. Our products mainly use Mesh and LTE as core technologies and auxiliary decision-making software to form underground building emergency communication systems, and police investigation communication systems, and police noncombat training communication systems, urban emergency communication systems, emergency communication vehicle communication systems, etc., suitable for law enforcement forces and government departments such as public security, armed police, , forest fire prevention, civil air defense, and maritime. Especially the intelligent communication products of special robots have solved the long-distance communication and control problems of robots in complex environments.

Adhering to the principles of "unity and dedication, technological innovation, and service innovation," we serve users both domestically and internationally. We uphold the tenet of "quality first, reputation first" to provide high-quality, efficient, and customized services to our clients worldwide. The company is committed to promoting an innovative spirit of "exploration and progress."

Our Patents

4W 4-Channel Mesh Radio Video Data Transmitter for 1.5km Ugv Robot Application

Test Equipments

4W 4-Channel Mesh Radio Video Data Transmitter for 1.5km Ugv Robot Application

Our Advantages

4W 4-Channel Mesh Radio Video Data Transmitter for 1.5km Ugv Robot Application

ZKMANET Zhongke Lianxun (Shenzhen) Technology Co., Ltd



+86 13266718951



Info@chinamanet.com



zkmanet.com

203-B161, Block B, Garden City Digital Building, No.1079 Nanhai Avenue, Yanshan Community, Merchants Street, Nanshan District, Shenzhen, China