Handheld IP Mesh Radio 300-3800MHz Black Frequency Hop Select ZKMANET3151

Basic Information

Place of Origin: ShenzhenBrand Name: ZKMANETCertification: CE

Model Number: ZKMANET3151

Minimum Order Quantity:

Price: USD 99~999Packaging Details: Carton

• Delivery Time: 10 working days

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 1000 pieces per year

ZVAVANET



Product Specification

Frequency: 300-3800MHz
 Bandwidth: 2.5/5/10/20MHz

• RF Channel: 2T2R

• Interface: HDMI WIFI BD GPS

• Weight: 1.2kg

Dimension: 246.5*82*42mmApplication: Data Transmission

• Highlight: Handheld IP Mesh Radio, Black IP Mesh Radio,

300-3800MHz IP Mesh Radio





More Images









Product Description

ZKMANET3151 300-3800MHz Black Frequency Hop Select Handheld IP Mesh Radio

Product Description

ZKMANET3151 is a high-performance and stable Mesh self-organizing network product that adopts FPGA scheme. It can adopt multiple communication combinations and be applied in different usage scenarios. The device is equipped with a data display screen, which can display the device status and connection status in real time; It can be carried by individual soldiers, used as a relay with a tripod, installed at fixed points, and can also be used on mobile vehicles, ships, robots, drones, unmanned ships, etc. It can be used anytime and anywhere with just one click on the power, without the need to configure or change parameters.

Features

- 1. Integrated design, convenient for carrying and use;
- 2. With HDMI interface, supporting HDMI video input;
- 3. Supports WI-FI connection and GPS/BD positioning;
- 4. Support voice intercom
- 5. Support point-to-point/point-to-point/many to many communication methods;
- 6. Support adaptive transmission rate of 1-100+Mbps; From
- 7. With lithium batteries, usage time o ≥ 4 hours;
- 8. Full duplex bidirectional data transmission, full IP transparent data transmission;
- 9. IP66 protection level, high reliability
- 10. One click use upon device startup, no need to configure or change parameters, convenient operation and maintenance

Product Parameters

Item NO.	ZKManet 3151	Brand	ZKMANET		
RF Parameter s	Frequency	300~3800MHz Customizable			
	Working Bandwidth	2.5/5/10/20MHz Customizable			
	RF Channel	2T2R,2*2MIMO			
	Transmit power	4W, supports adjustable output power			
	1 hop communicati on distance	≥30KM			
Network Parameter s	Number of nodes	10(Can be customized)			
	Number of hops	Supports automatic multi hop relay communication, with a hop count of ≥ 8 and a total bandwidth loss of $\leq 30\%$ for multi hop communication			
	Networking method	Supports no center, supports MANET technology co frequency self-organizing network, supports star/linear/mesh/hybrid dynamic networking			
	Single hop time delay	Average ≤ 24ms@20MHz			
	WIFI	2.4/5.8G			
	Positioning	GPS/BD			
	Wireless bandwidth	No less than 50Mbps/20MHz under the premise of 2 * 2MIMO			
	Encryption	Support DES,AES128,AES256,and optional			
	Dimension	246.5*82*42mm			
Physical	Weight	1.2kg(with battery)			
	Working Temperature	-40°C+70°C			
	IP	IP66			
Electrical Characteri stics	Power supply	DC21V			
	Power dissipation	Less than 12W			
	Battery size	2.6Ah			
Other	Video Interface	HDMI			
	Frequency hopping function	Optional			
	Data display	Support			
	Intercom	Support			
	Anti- interference	Supports manual spectrum scanning channel selection and intelligent frequency selection			

Panel Description

- 1 GPS antenna interface 2 PPT interface

- 3 LAN port 4 WIFI antenna interface
- 5 MESH antenna interface
- 6 Power switch
- 7 Signal indicator light
- 8 MESH antenna interface
- 9 Modify parameter button
- 10 Modify parameter button
- 11 Display screen
 12 Modify parameter button
 13 Power display
- 14 HDMI interface
- 15 Charging interface
- 16 Charging interface
- 17 Tripod interface

Application



Company Profile

ZKMANET Technology was established in 2005 and is a high-tech research and development enterprise. The company is market-oriented, focusing on developing products suitable for emergency communication, non-combat mission communication systems for forces, special robot intelligent communication products, and auxiliary decision-making systems. The company is dedicated to providing customers with wireless broadband communication products and auxiliary decision-making system research and production under complex conditions.

High-Performance Stable Fpga Messigh Performance Stable Fpga Messigh Performance Stable Fpga Messigh Resolution Stable Fpga

Our Patents High-Performance Stable Fpga Mesh Network Radio							
Test Equipments							

ZYMANET Zhongke Lianxun (Shenzhen) Technology Co., Ltd



+86 13266718951



Info@chinamanet.com



zkmanet.com

