# Low Latency Handheld COFDM Video Transmitter Receiver for Emergency Communication within 1-3km Distance

## **Basic Information**

• Place of Origin: Guangdong, China • Brand Name: ZKMANET CE, ISO9001 Certification: • Model Number: ZKManet1102R • Minimum Order Quantity: 1 piece • Price: USD 1599~2699

 Packaging Details: carton • Delivery Time: 3-7 work days

• Payment Terms: T/T, Western Union, MoneyGram

 Supply Ability: 10000 pieces per year



## **Product Specification**

300MHz-2.7GHz Customize Working Frequency: Working Bandwidth: 2-8MHz Adjustable • Receiver Sensitivity: -106dBm

• Encryption: AES 1-3km Transmission Distance:

RF Interface: N-Female, High Performance Dual Channel

**Diversity Reception** 

Application: Handheld For Emergency Communication

COFDM Core Technology:

• Highlight: Low Latency COFDM Video Transmitter

Emergency Communication COFDM Video Transmitter Receiver

, 1-3km COFDM Video Transmitter Receiver



## More Images







## **Product Description**

Low Latency HD Screen Handheld COFDM Video Transmitter Receiver

Product Description

The ZKManet1102R is a completely portable handheld COFDM HD video receiver. Its lightweight and compact design,

powered by batteries, makes it ideal for users seeking a discreet and fully mobile surveillance solution. The smart design minimizes setup time while ensuring dependable reception of both video and audio in non-line-of-sight (NLOS) conditions. Users can enhance the range by choosing different reception modes, booster amplifiers, and antenna types. Additionally, the unit can be paired with various antennas and RF accessories to extend its range even further.

#### Features

- \* Compact size and light weight

  \* Portable design for easy operation

  \* 10.1 inch high brightness HD display

  \* Receiving signal under high-speed and NLOS conditions

  \* With AV output for connecting to external large display

  \* AES256 encryption

  \* Built-in battery up to 4 hours endurance

#### Specifications

Model	ZKManet1102R	Brand	Z K M A N E	
RF Parameters	Frequency	300MHz-2.7GHz Customizabl	300MHz-2.7GHz Customizable	
	Modulation	QPSK(4QAM),16QAM,64QAN	QPSK(4QAM),16QAM,64QAM	
	Bandwidth	2-8MHz	2-8MHz	
	Receiving Sensitivity	-106dBm		
	Encryption	AES	AES	
	Range	1-3km	1-3km	
	RF Interface	N-F		
Video Parameters	Screen	10.1 inches HD		
	Video Output	HD:HDMI		
		SD:RCA-F		
	Video Modulation	HD:1080P@60		
		SD:720*480		
	Video Compression	H.264		
	Video Memory	TF Card(128G Max);		
		File system:FAT32		
Physical/Environment	Dimensions	300*200*30mm	300*200*30mm	
	Weight	1.5kg	1.5kg	
	Working Temp	-10ºC~+65ºC		
Electronic Parameters	Power Supply	DC 12V		
	Battery Capacity	4000mAh		
	Power Consumption	<40dBm		

## **Detailed Photos**
















- 1. Battery indicator bar
  2. VGA output,reserved
  3. AV output(CVBS)
  4. USB 2.0, for video recording
  2. VGA output(CVBS)
  4. USB 2.0, for video recording
  3. AV output(CVBS)
  4. USB 2.0, for video recording
  4. To video recording
  4. To video recording
  5. Power input, DC 12V
  7. Antenna interface, N type female
  8. RF setting buttons
  9. Antenna interface, N type female

## Application



#### Company Profile

Zhongke Lianxun (Shenzhen) Co., Ltd was established in 2005. We focus on the research and development all kinds of video transmitters and receivers. Including COFDM wireless transceivers; 4G-LTE wireless transceivers, 4G/5G wireless receivers, UAV/UGV radio data link, as well as MESH/SOC communication series products based on intelligent communication. It leverages the technical expertise of renowned university network security institutes. The company specializes in providing data encryption and decryption solutions as well as drone defense solutions for industries such as wind power, national power, oil and gas, firefighting, public security, road and bridge construction, and emergency management agencies.

Our chief scientist team, led by professors from the Network Security Institute of Wuhan University, has achieved remarkable results in the development of man-in-the-middle platforms for network security. We hold several patents with independent intellectual property rights and have developed a robust quality management system that adheres to ISO9001 standards, as well as national standards. Our production processes strictly follow these national guidelines and internationally recognized standards, including CCC, CE, and FCC. Additionally, we have received the Radio Transmission Equipment Model Approval Certificate from the Ministry of Industry and Information Technology of China and have successfully completed wireless product testing certification by the Ministry of Public Security.

Cofdm 300MHz~2.7GHz AES256 10.1 Inches Portalizated has a base of the control of

Cofdm 300MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Receiver

Cofdm 300MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Data Discontinui 960MHz~2.7GHz AES256 10.1 Inches Portable 1960MHz~2.7GHz A

Cofdm 300MHz~2.7GHz AES256 10.1 Inches Portable Handheld Video Dat@Bitmi@60MHz~2.7GHz AES256 10.1 Inches Portable Video Dat@Bitmi@60MHz~2.7GHz AES256 10.1 Inches Portable Video Vid

## ZYMANIT Zhongke Lianxun (Shenzhen) Technology Co., Ltd

+86 13266718951

Info@chinamanet.com

zkmanet.com

203-B161, Block B, Garden City Digital Building, No.1079 Nanhai Avenue, Yanshan Community, Merchants Street, Nanshan District, Shenzhen, China